







Contents

Contents	2
Report Summary	3
Methodology	5
Chart: Aggregate Malware Trends	7
Chart: Aggregate Phishing Trends	10
Chart: Aggregated Share of Top50 ASNs	13
Background	14
Mission	14
Data & Sources	14
About	16
eco – Association of the Internet Industry	16
topDNS Initiative	16
AV-TEST Institute	16







Report Summary

This report is the second publication from the topDNS Initiative's measurement initiative, topDNS Report: Monthly Analysis for ISPs. The purpose of this report is to establish a credible source of metrics for addressing abuse among Internet Service Providers (ISPs). We hope that it will facilitate targeted discussions and pinpoint opportunities to reduce abuse throughout the entire Internet ecosystem.

We also hope that future editions of the report will recognise good practice and highlight areas for improvement within the industry. Through these reports, we aim to identify effective factors, policies and processes, and provide the industry with evidence.

While we expect to provide much greater granularity and detail in future reports, this second edition of the topDNS Report focuses on higher-level, aggregated data from June 2024 to January 2025. This higher-level approach has been taken for this report to allow for further data collection and to gather feedback on what would be most helpful in future reports.

Key highlights from the overall data in the month of January 2025 include:

• A new increase in malware, PUA and other malware distribution in January 2025 following a general decrease from June to December 2024.

The methodology identified a general increase in the number of malicious URLs involved in distributing malware (+44.33%), potentially unwanted applications (+37.18%), and other harmful samples (+48.21%) in January 2025 compared to December 2024. All three figures were higher in January 2025. However, the January figures were still lower than the eight-month average for each category. July 2024 remained the highest month on record for all three categories, with 859,658 unique URLs identified for malware, 52,043 for potentially unwanted applications (PUAs), and 77,712 for other URLs. December 2024 also saw the lowest number of unique URLs identified for all three categories: 368,246 for malware, 22,345 for PUAs, and 28,432 for other URLs. The observed data shows that aggregate malware trends tend to be more volatile than aggregate phishing trends.

 A new increase in the number of unique URLs being used for potential phishing in January 2025.

Following a 58.31% decrease in the number of unique URLs involved in potential phishing attacks, from 336,532 in June 2024 to 140,303 in December 2024, the data shows a near-tripling in volume (+183.11%) in January 2025, with 397,214 unique URLs involved in potential phishing attacks. This figure is also above the eight-month average of 307,841 unique URLs. However, July 2024 still saw the highest number of unique URLs on record to date: 447,619. The lowest figure remained unchanged at 140,303 in December 2024.







An increase in the number of unique URLs used for verified phishing was observed in January 2025.

Following the data analysis in our previous report, which revealed a 81.29% reduction in the number of unique URLs involved in verified phishing attacks (dropping from 34,225 in June 2024 to 6,403 in December 2024), we observed an 88.08% increase in January 2025, with 12,043 verified unique URLs. However, this figure remains below the eight-month average of 16,042 unique URLs. July 2024 remains on record as the month with the highest number of unique URLs to date (35,421). September 2024 also remained unchanged as the month with the fewest unique URLs (6,342).

• The aggregated Share of Top50 ASNs.

The dataset for the first report showed aggregated data from June to December 2024. From this report onwards, we will present the data for each individual month. In January, a total of 490,649 URLs were analysed. Of these, 427,507 were verified as malware, 27,240 were classified as potentially unwanted applications (PUAs), and 35,902 were categorised as 'other'. However, it is worth mentioning that the proportion of each category remains unchanged: malware (approx. 87%), PUAs (approx. 5%) and 'other' (approx. 7%).

As these data collection efforts are just beginning, we are not attempting to draw any conclusions from the data at this time. We look forward to reviewing the data as patterns emerge over time. However, we can offer some initial insights into how the methodology captures the data, which will provide a basis for understanding this complex issue in the future.

We encourage all readers to review this report and its methodology, as well as the data, and to contact us with any questions, ideas or suggestions that could help us improve and expand it. After all, our goal is to help the Internet industry and the wider community become better equipped to fight online abuse. The topDNS Initiative will publish this and future reports on the topDNS website.

For more information on the topDNS Initiative's mission and the data and sources used, please refer to the 'Background' section at the end of this document.







Methodology

Understanding general trends in online abuse is useful for grasping phishing and malware across the ISP ecosystem, as well as identifying high-level trends over time. This report presents aggregated data for all months recorded at the time of publication.

The malware methodology includes the following labels:

- **Malware**: The majority of AV-TEST's scan results conclude that the sample belongs to the 'malware' category. This includes classic viruses and Trojans, but is also subdivided internally into malware families and names.
- **PUA**: This stands for 'Potentially Unwanted Application'. Such applications/samples do not directly exhibit malware behaviour, but they can disrupt the user experience through aggressive advertising, hidden functions, or impaired system performance.
- **Other**: This includes samples that cannot be attributed automatically to malware or potentially unwanted applications (PUAs).

Each URL is followed by a downloadable file (either directly or as a web page in the form of an HTML file). These files are downloaded and analysed by AV-TEST tools (VTEST -> AV multiscanner system). These downloaded files are referred to as 'samples'.

The phishing methodology includes the following labels:

- **Potential Phishing**: URLs/websites that AV-TEST receives from phishing blocklists or whose source code generates a 'phishing' detection in VTEST's static analysis are declared as 'potential phishing'. (Potential) Phishing URLs are not only downloaded, but also visualised via a browser screenshot, which is used for AV-TEST's visual phishing analysis (Phinder).
- **Verified Phishing**: All 'Potential Phishing' URLs are checked with an automated visual comparison of the screenshots. This is based on manual pre-work, where screenshots are classified as 'Phishing' or 'No Phishing' by AV-TEST staff. If a 'Potential Phishing' URL is found to be similar to a 'Verified Phishing' URL, it is automatically classified as such.

This report uses the following definitions for Uniform Resource Locator (URL), Internet Service Provider (ISP), and Autonomous System Number (ASN):

 Uniform Resource Locator (URL): A URL is the address of a specific resource on the Internet. It consists of several components, including the protocol (e.g., HTTP or HTTPS), the domain name (e.g., example.com), and the path to the resource (e.g., /page). URLs are used to locate and access websites, images, videos, and other online content.







- Internet Service Provider (ISP): An ISP is a company or organisation that provides Internet access to individuals and businesses. ISPs offer various connection types, including broadband, fibre, DSL and mobile data. ISPs are responsible for transferring data between users and the Internet, and they often offer additional services such as email hosting and web hosting, and security features.
- **Autonomous System Number (ASN)**: An ASN is a unique identifier assigned to an Autonomous System (AS), which is a network or group of Internet Protocol (IP) prefixes under the control of a single administrative entity, such as an Internet Service Provider (ISP), cloud provider, or large enterprise.







Chart: Aggregate Malware Trends

This chart provides an overview of the number of malicious URLs identified by the methodology, and illustrates how abuse on the Internet is changing over time. It shows the total number of unique URLs identified by the methodology as being involved in phishing, malware and potentially unwanted applications (PUAs), broken down by category:

- Malware URLs
- PUA URLs
- Other URLs

A **total** of **5,933,933 malicious URLs with ASNs** were identified in the period June 2024 to January 2025, **of which:**

- 5,213,758 URLs could be verified as malware,
- 286,709 URLs have been classified as PUA, and
- 433,466 URLs as other.

Between June 2024 and January 2025, the **most malicious URLs for all three categories** were identified in **July 2024**. The **lowest number of malicious URLs in all three categories** was identified in **December 2024**.

Malicious URLs




Figure 1: Aggregate Malware Trends - Malicious URLs - January 2025







History of Malicious URLs




Figure 2: Aggregate Malware Trends - History of Malicious URLs - June 2024 to January 2025

History of Malicious URLs

	Malware	Change	PUA	Change	Other	Change
June 2024	480,257		30,108		48,588	
July 2024	859,658	+79.00%	52,043	+72.85%	77,712	+59.94%
Aug 2024	844,986	-1.71%	35,701	-31.40%	64,877	-16.52%
Sept 2024	636,693	-24.65%	37,805	+5.89%	44,214	-31.58%
Oct 2024	730,895	+14.80%	36,821	-2.60%	64,882	+46.75%
Nov 2024	761,550	-4.19%	41,235	+11.99%	62,622	-3.48%
Dec 2024	368,246	-51.65%	22,345	-45.81%	28,432	-54.60%
Jan 2025	531,473	+44.33%	30,652	+37.18%	42,139	+48.21%
Total	5,213,758		286,709		433,466	

Table 1: Aggregate Malware Trends - History of Malicious URLs - June 2024 to January 2025







Key Figures of Malicious URLs

	Malware	Month	PUA	Month	Other	Change
High	859,658	July 2024	52,043	July 2024	77,712	July 2024
Low	368,246	Dec 2024	22,345	Dec 2024	28,432	Dec 2024
Average	651,720		35,839		54,183	

Table 2: Aggregate Trends - Key Figures of Malicious URLs - June 2024 to January 2025

Commentary

Having followed a steady decline from June to December 2024, January 2025 saw a **rebound in malicious distribution activity**. Compared to December, the number of unique URLs increased by 44.33% for malware, 37.18% for potentially unwanted applications (PUAs), and 48.21% for other harmful samples. Despite this month-on-month growth, January levels remained below the eight-month averages for all three categories.

July 2024 remains the peak month on record with 859,658 URLs linked to malware, 52,043 to potentially unwanted applications (PUAs) and 77,712 to other threats. By contrast, December 2024 saw the lowest levels, with 368,246 URLs linked to malware, 22,345 to PUAs and 28,432 to other threats. Overall, the data illustrates that malware distribution is inherently more volatile than phishing activity, with sharper spikes and troughs over time.

However. it's important to note that the dataset currently only covers eight months. This is not sufficient to establish a trend over time.







Chart: Aggregate Phishing Trends

This chart provides an overview of how many phishing URLs with ASNs have been identified by the methodology, and illustrates how phishing on the Internet is changing over time. It shows the absolute volume of unique URLs identified by the methodology as being involved in the distribution of phishing, broken down by category:

- (Potential) Phishing URLs
- Verified Phishing URLs

A **total** of **2,462,729 phishing URLs with ASNs** were identified in the period from June 2024 to January 2025, **of which 135,569 URLs** could be **verified**.

Between June 2024 and December 2024, the highest number of phishing URLs (both potential and verified) was identified in July 2024. The fewest of all (potential) phishing URLs were identified in December 2024, and the fewest of verified phishing URLs were identified in September 2024.

History of Phishing URLs




Figure 3: Aggregate Trends - History of Phishing URLs - June 2024 to January 2025







History of All (Potential) and Verified Phishing URLs

	All (potential) phishing	Change	Share	Verified phishing	Change
June 2024	336,532		10.17%	34,225	
July 2024	447,619	+33.01%	7.91%	35,421	+3.49%
Aug 2024	356,659	-20.32%	5.84%	20,826	-41.20%
Sept 2024	262,016	-26.54%	2.42%	6,342	-69.55%
Oct 2024	288,900	+10.26%	3.74%	10,816	+70.55%
Nov 2024	233,486	-19.18%	4.07%	9,493	-12.23%
Dec 2024	140,303	-39.91%	4.56%	6,403	-32.55%
Jan 2025	397,214	+183.11%	3.03%	12,043	+88.08%
Total	2,462,729			135,569	

Table 3: Aggregate Trends - History of All (Potential) and Verified Phishing URLs - June 2024 to January 2025

Key Figures of All (Potential) and Verified Phishing URLs

	All (potential) phishing	Month	Verified phishing	Month
High	447,619	July 2024	35,421	July 2024
Low	140,303	Dec 2024	6,342	Sep 2024
Average	307,841		16,946	

Table 4: Aggregate Trends - Key Figures of All (Potential) and Verified Phishing URLs - June 2024 to January 2025

Commentary

Following a sustained decline throughout the second half of 2024, January 2025 witnessed a **sharp resurgence in potential phishing activity**. The number of unique phishing-related URLs nearly tripled compared to December, rising by 183.11%, from 140,303 to 397,214. This not only reverses the previous downward trend, but also exceeds the eight-month average of 307,841.







Despite this rebound, **July 2024** remains the peak month on record with 447,619 unique URLs, while December 2024 retains the lowest figure of 140,303. The data highlights the volatility of phishing campaigns, which can contract sharply before surging back above baseline levels.

Following a significant decline in **verified phishing activity** throughout 2024, January 2025 **witnessed a notable recovery**. The number of unique URLs linked to verified phishing increased by 88.08%, rising from 6,403 in December 2024 to 12,043 in January 2025. Despite this growth, however, the figure still falls short of the eight-month average of 16,042.

July 2024 remains the peak month on record for verified phishing URLs, with 35,421, while September 2024 holds the lowest figure at 6,342.

These fluctuations suggest that, although verified phishing can recover quickly from lows, overall activity remains well below the peak levels observed in mid-2024.

However. it's important to note that the dataset currently only covers eight months. This is not sufficient to establish a trend over time.







Chart: Aggregated Share of Top50 ASNs

This table provides a high-level, anonymised overview of the 50 largest autonomous systems, as identified by their assigned autonomous system number (ASN)).

A total of 4,724,433 URLs with ASNs were identified among the Top50 ASNs in January 2025, of which:

- 4,112,060 URLs could be verified as malware,
- 244,583 URLs have been classified as PUA, and
- 367,790 URLs as other.

If you are a network operator, please contact us for further details which of the URLs mentioned above are assigned to your autonomous system number (ASN): topdns@eco.de

Aggregated Share of Top 50 ASNs

	Malware	Share	PUA	Share	Other	Share	Total
June - Dec 2024	3,684,553	87.03%	217,343	5.13%	331,888	7.84%	4,233,784
Jan 2025	427,507	87.13%	27,240	5.55%	35,902	7.32%	490,649
Total	4,112,060		244,583		367,790		4,724,433

Table 5: Aggregate Trends - Aggregated Share of Top 50 ASNs - December 2024 to January 2025

Commentary

While the previous report presented aggregated data from June to December 2024, **this report starts to provide monthly breakdowns**. In January 2025, a total of 490,649 URLs were analysed. Of these, 427,507 were verified as malware, 27,240 as potentially unwanted applications (PUAs) and 35,902 were categorised as 'other'.

The distribution of these categories remained consistent with previous periods: approximately 87% were malware, 5% were PUAs, and 7% were 'other', highlighting the persistent dominance of malware across the top 50 autonomous systems (ASNs).

However. it's important to note that the dataset currently only covers eight months. This is not sufficient to establish a trend over time.







Background

Mission

The topDNS Initiative (https://topdns.eco) was founded in 2021 by members of eco – Association of the Internet Industry. The stable, safe and secure operation of the DNS has proven to be the foundation for the global expansion of the Internet as a universal public resource. However, like any other innovation and every technology, the Internet and the DNS are vulnerable to abuse, such as malware, botnets, phishing, pharming or spam. The topDNS Initiative and its members are committed to reducing online abuse and strengthening the Internet industry.

This report aims to measure malicious URLs at ISPs to improve the community's understanding of online abuse and ultimately enhance industry practices. We hope it will provide insight into how online abuse is changing over time, enabling concrete, specific conversations about the impact of abuse on not only the domain registration industry, but the Internet industry as a whole.

We intend to use this evidence to drive change within the Internet industry, improving understanding of where online abuse is concentrated and discussing effective ways to prevent and mitigate it. Our aim is to highlight good and best practices, as well as identifying areas for improvement and issues that require attention.

Online abuse affects everyone. We aim to leverage this insight to enhance the overall health of the Internet ecosystem. Our goal is to prevent or swiftly mitigate any harm to end users, businesses, governments, civil society organisations, public services and the general public, while safeguarding the advantages and principles of an open Internet.

Although the ultimate goal is to reduce abuse, mitigation should still take place at the appropriate level. The aim is to provide transparent resources for discussions about the prevalence and mitigation of phishing and malware on the open Internet.

Data & Sources

This report is a collaboration with AV-TEST, a member of the <u>Anti-Malware Testing Standards</u> <u>Organization</u>, analysing samples from various sources with AV-TEST's AV Multiscanner system as well as static and dynamic analysis tools. The report aims to provide the industry with evidence and information on the distribution of phishing and malware across the ecosystem. The project will begin by examining the harm caused by malware and phishing. Phishing and malware have been chosen as the focus because there is generally sufficient verifiable evidence of the security threat they pose.

In future reports, we may include other types of abuse and additional metrics, or combine various data points, provided they are consistent with the mission of topDNS and the priorities







chosen for this report. The topDNS Initiative also works very closely with other initiatives, such as the NetBeacon Institute, to work together on data and to reduce online abuse. As a result, we view this report as a complement to the <u>NetBeacon MAP: Monthly Analysis</u> which provides detailed statistics and data for domain name registries and registrars.

It is important to recognise the limitations of this work. The universal challenge of understanding malicious activity in society means that we can only measure identified and verified harm.

Phishing and malware that has been identified and verified will always be a subset of all existing phishing and malware. There will also be 'false positives', i.e. URLs categorised as phishing or malware when they actually aren't, due to classification errors and differences in standards. Additionally, there is a possibility that reported abuse is biased towards particular geographic regions or activities that are more likely to be reported.

We are committed to refining this project as we go along, and we welcome insights from across the industry to help us improve and iterate. If you would like to get in touch with the topDNS Initiative, please contact: topdns@eco.de







About

eco – Association of the Internet Industry

With approximately 1,000 member companies, eco (https://international.eco.de) is the leading Association of the Internet Industry in Europe. Since 1995, eco has been highly instrumental in shaping the Internet, fostering new technologies, forming framework conditions, and representing the interests of its members in politics and international forums. eco has offices based in Cologne, Berlin and Brussels. In its work, eco primarily advocates for a high-performance, reliable and trustworthy ecosystem of digital infrastructures and services.

topDNS Initiative

The stable, safe and secure operation of the DNS has proven to be the foundation for the global expansion of the Internet as a universal public resource. However, like any other innovation and every technology, the Internet and the DNS are vulnerable to abuse, such as malware, botnets, phishing, pharming or spam. The topDNS Initiative (https://topdns.eco) and its members are committed to fighting DNS abuse.

AV-TEST Institute

AV-TEST (https://www.av-test.org/en) is an independent supplier of services in the fields of IT Security and Antivirus Research, focusing on the detection and analysis of the latest malicious software and its use in comprehensive comparative testing of security products.

Due to the timeliness of the testing data, malware can instantly be analysed and categorised, trends within virus development can be detected early, and IT-security solutions can be tested and certified. The AV-TEST Institute's results provide an exclusive basis of information helping vendors to optimize their products, special interest magazines to publish research data, and end users to make good product choices.

AV-TEST has operated out of Magdeburg (Germany) since 2004 and employs more than 30 team members, professionals with extensive practical experience. The AV-TEST laboratories include 500 client and server systems, where more than 3,500 terabytes of independently collected test data, containing both malicious and harmless sample information, are stored and processed.